INDEX OF SUBJECTS

PAGE

ACIDS, bile, faecal concentration falls immediately on low fat diet . . . 239
cholanic, mono- and un-substituted, faecal concentration increases as faecal bile-acid concentration increases, probably due to bacterial dehydroxylation of biliary bile acids . . . 239
ACKEE FRUIT, ingestion of, cause of vomiting sickness in Jamaica; active substance hypoglycin 167
ADHERENCE of enteropathogenic *Escherichia coli* to small-intestinal villi of pigs: location in or on acid mucopolysaccharide layer . . . 93
ADRENAL, foetal growth and development inhibited in rats by treatment of mother with 7-OHM-12-MBA at day 13–16 of pregnancy; similar treatment at day 17–21 of pregnancy induces massive necrosis of central zones in foetus; postnatal rat not affected until day 30–50, when severe necrosis of inner cortical zones, particularly in females 191
AFLATOXIN and foci of necrosis of liver in rats, with cyst development and later cystadenocarcinomatous change; not likely to be cause of liver tumours in man 185
ALTITUDES, high, enlargement of carotid body in guinea-pigs, rabbits and dogs kept at 231
ANEURYSM, arteriovenous, arising from anomalous right anterior cloroidal artery, deep in parietal lobe, associated with right-sided facial angioma, and giving rise to subarachnoid haemorrhage 213
ANGIOMA, right facial, associated with arteriovenous aneurysm of anomalous right choroidal artery . . . 213
ANGIOSARCOMA of heart in 15-yr-old boy . 73
ANTIGEN(S) and antigen-antibody complexes taken up by macrophages, which cluster round reticular cells and perhaps transfer their antigen and antigen-antibody complex to them . 37
processed in macrophages possibly transferred to stimulated lymphocytes through intercellular bridges . 115
viral, deposited in diseased glomeruli in chronic glomerulonephritis produced by ECHO-9 and Coxsackie B_1 viruses in mice 53

PAGE

ANTILYMPHOCYTE SERUM, effect of prolonged treatment with on course of BCG and *Leishmania enriettii* infections in guinea-pig 153
AORTA, chick-embryo, elastogenesis in . 253
APPENDIX with luminal obliteration shows argentaffin and argyrophil cells in meshes of neuroma-like structures, not present if these structures absent . 206
ARGENTAFFIN CELLS and argyrophil cells in the appendix . . . 206
present in small numbers in normal prostate and in some prostatic tumours. 247
ARTHROGRYPOSIS multiplex congenita induced in guinea-pigs by maternal hyperthermia during gestation . . 221
ATRESIA of urethra in foetus, with distended bladder pressing on iliac vessels and consequent intra-uterine gangrene of leg 31

BACTERIA, intestinal, dehydroxylating effect on biliary bile acids . . . 239
BACTERIAL SPECIES *Escherichia coli*, enteropathogenic, adheres to small-intestinal villi of pig in acid mucopolysaccharide layer, may proliferate there . . 93
Mycobacterium leprae, fate in CBA mice after foot-pad and intravenous injection 77
BCG infection healed more rapidly in guinea-pigs treated with antilymphocyte serum 153
BILE acids, faecal concentration in adults dependent on dietary fat concentration, falls on low fat diet 239
BLADDER, pressure of distended, on iliac vessels of foetus, with consequent gangrene of leg 31
BLOOD-borne factor may be responsible for lung damage in acute oxygen poisoning in dogs 267
BRIDGES, cytoplasmic, transfer of antigen and antigen-antibody complexes from macrophages to reticular cells by . 37
intercellular, between lymphocytes and macrophages stimulated with phytohaemagglutinin or antigens . . 115
BRONCHUS, bronchial mucous gland volume greater in smokers than in non-smokers, greater in male smokers than in female smokers 59

PAGE

BUDD-CHIARI SYNDROME—ascites, liver enlargement, jaundice and progressive hepatic failure—from leiomyosarcoma of inferior vena cava 283

CAPILLARIES growing into injured cornea distinguishable from growing corneal lymphatics 99
in muscles and nerves, *Mycobacterium leprae* constantly present in cells of after local inoculation . . . 77
CARCINOGENESIS, relation of faecal steroids to cancer of large bowel . . . 129
CARCINOGENS, aflatoxin and cystadenocarcinoma of liver in rats . . . 185
CARCINOID tumours, sometimes associated with adenocarcinoma in prostate . 247
CARCINO-SARCOMA of gall bladder . . 145
CAROTID BODY enlarged in guinea-pigs, rabbits and dogs kept at high altitudes 231
weight associated with right and with left ventricular weight, but greater than left ventricular weight would suggest in some cases of emphysema . 1
CELL(S), argentaffin, present in small numbers in normal prostate, and patchily in about 10 per cent. of prostatic adenocarcinomas as part of tumour 247
cultures of macrophages and reticular cells, cytoplasmic contacts frequent between cell-types, antigenic material probably transferred from macrophage to reticular cell 37
glomic, light variant of in carotid body hyperplastic in high-altitude guinea-pigs and rabbits, with pronounced vacuolation 231
of rats suffering from cortisone-induced wasting disease show less incorporation of ^{3}H-thymidine 201
CELLULOSE SULPHATE produces in rats only transient complement-titre reduction (normal level reached in 3 hr), but depletes kininogen; carrageenan foot-oedema induced at 3 hr reduced 1½–2½ hr after 15
CHEMORECEPTORS, chemoreceptor tissue in carotid body of high-altitude animals possibly stimulated by hypoxia . . 231
CHICK-embryo aorta, development of elastic tissue and smooth muscle in . 253
CHILD, angiosarcoma of heart in 15-yr-old male 73
COLLAGENASE-like substance possibly produced from damaged epithelial cells and by ingrowing lymphatic endothelial cells after corneal injury. . 99
COMPLEMENT, normal titres essential to all actions of mediators in acute inflammation 15

PAGE

CORNEA, growth of corneal lymphatics after corrosion of with silver nitrate . 99
CORTISONE-induced wasting disease of rats 201
COXSACKIE B_1 VIRUS, chronic glomerulonephritis produced in mice by . . 53
CYST(S), hepatic, natural and experimental, malignancy in 185
longitudinal of gall bladder, probably derived from duplication . . . 216

DIABETES, peripheral nerve change segmental demyelination, with slight secondary neuronal changes . . 175
DIET of English, Scottish, Ugandans and Indians, relation to concentration of faecal steroids and urobilin, and perhaps to incidence of cancer of large bowel. 129
DOGS kept at high altitudes, enlargement of carotid body in 231
oxygen poisoning may occur in after only 15–30 minutes' exposure to 100 per cent. oxygen 267

ECHO-9 VIRUS, chronic glomerulonephritis produced in mice by . . 53
ELASTASE, porcine pancreatic, susceptibility of developing chick-embryo aortic elastin to 261
ELASTIN, chick-embryo aortic, increasing susceptibility to elastase with development 261
development in chick-embryo aorta . 253
ELECTRON-MICROSCOPE STUDY of changes in hepatocytes of mouse or rat liver slices incubated with sodium tetraphenyl boron 210
of duodenal mucosa of mice with hereditary defect in iron absorption . . 45
of lymphocytes and macrophages . 115
EMBRYO chick aortic elastin, changes in affinity for phosphotungstic acid during development 253
EMPHYSEMA, centrilobular, commoner and more extensive and occurs earlier in smokers than in non-smokers, increases with age up to 50 yr, after which remains constant in extent . 59
increase of weight of carotid bodies in . 1
ENDOTHELIUM of growing corneal lymphatics thick, lumen small, tip tapered and solid 99
EPISTAXIS, severe, from extension of right facial angioma, associated with arteriovenous aneurysm of anomalous right choroidal artery, into nose . . 213
EXUDATE, pleural, volume in turpentine-induced pleurisy first increases rapidly,

PAGE

then shows small fall; pretreatment with promethazine converts to steady though smaller linear increase with time 275

FAECES, bile-acid and neutral-steroid concentration in independent of age and sex, dependent on dietary fat concentration 239
FEEDING prevents or reduces liver cell mitochondrial swelling produced in rats by hypoglycin if normal blood glucose levels are maintained . . . 167
FERRITIN accumulates in supranuclear region of duodenal cell inside and outside vacuoles in mice with hereditary iron-absorption defect . . 45
FOETUS, guinea-pig, production of arthrogryposis in by maternal hyperthermia during gestation 221
rat, effect on adrenal induced by 7-OHM-12-MBA treatment of mother, nature dependent on period of gestation . 191
still-born, intra-uterine gangrene of leg due to pressure on iliac vessels of distended bladder due to urethral atresia 31
FUR, growth depressed characteristically in cortisone-induced wasting disease of rats 201

GALL BLADDER, longitudinal cystic duplication of 216
GAMMA-GLOBULIN deposited in diseased glomeruli in chronic glomerulonephritis produced in mice by ECHO-9 and Coxsackie B_1 viruses . 53
GANGRENE, intra-uterine, of leg in still-born foetus, due to urethral atresia and pressure of distended bladder on iliac vessels 31
GESTATION, effect of period of in production of arthrogryposis in foetuses by maternal hyperthermia . . . 221
GLOMERULI of rats fed with diet containing N,N′-diacetylbenzidine: epithelial crescents, progressive sclerosis and obliteration 119
GLOMERULONEPHRITIS, chronic, in rats, due to N,N′-diacetylbenzidine . . 119
chronic lobular and sclerosing, produced in mice by ECHO-9 and Coxsackie B_1 viruses 53
GLUCOSE blood levels in starved rats much reduced by hypoglycin with liver cell mitochondrial swelling . . 167
GROWTH retardation in wasting disease induced in rats by single injection of cortisone during first week of life . 201

PAGE

GUINEA-PIGS, arthrogryposis multiplex congenita induced in by maternal hyperthermia during gestation . . . 221
effect of prolonged treatment with anti-lymphocyte sera on BCG and *Leishmania enriettii* infections in . . 153
kept at high altitudes, enlargement of carotid body in 231

HAEMORRHAGE, subarachnoid, from arteriovenous aneurysm of anomalous right choroidal artery associated with right facial angioma 213
HEART, angiosarcoma of right atrium involving pericardium, with haemopericardium and bilateral pulmonary metastases in 15-yr-old boy . . 73
block due to epithelial heterotopia . 218
carotid body weight associated with left and with right ventricular weight . 1
HETEROTOPIA, epithelial, probably endodermal, possibly thyroglossal, in heart, with associated heart block . . 218
HISTAMINE, effective as mediator in early stages of carrageenan- and turpentine-induced foot-oedema and pleurisy . 15
7-HYDROXYMETHYL-12-METHYLBENZ(a)-ANTHRACENE, effect on rat foetus of treatment of mother with depends on period of gestation; direct effect on postnatal rat not until 30th–50th day 191
5-HYDROXYTRYPTAMINE effective as mediator in early stages of carrageenan- and turpentine-induced foot-oedema and pleurisy 15
HYPERTHERMIA, maternal, in guinea-pigs, production of arthrogryposis in foetuses by 221
HYPOGLYCIN, toxic amino acid from ackee fruit (*Blighia sapida*) produces profound hypoglycaemia and gross mitochondrial swelling in liver cells of starved rats; feeding prevents or reduces this, providing normal blood glucose levels maintained . . 167
HYPOPROTEINAEMIA in female rats fed with N,N′-diacetylbenzidine . . . 119
HYPOXIA due to emphysema, increase in weight of carotid bodies in . . 1

"IMMUNE-COMPLEX" DISEASE, chronic glomerulonephritis in mice produced by ECHO-9 and Coxsackie B_1 viruses 53
INFANTS, symptomless intradural spinal lipoma in 141
INFLAMMATION, acute, due to carrageenan, depletion of histamine and 5-hydroxytryptamine abolishes early phase of in rats 15

PAGE

INFORMATION or perhaps processed antigen transfer between macrophages and stimulated lymphocytes via intercellular bridges 115
INHIBITORS of supposed mediators in inflammatory reactions, use to determine nature of mediators. 15
INSULIN does not produce liver cell mitochondrial swelling in rats, hypoglycin does 167
INTESTINE, duodenum, electron microscopy in mice with hereditary defective iron absorption 45
IRON absorption, electron microscopy of duodenum in mice with hereditary defect of 45
oral supplements in normal mice may give rise to duodenal changes similar to those in mice with hereditary iron-absorption defect 45
ISCHAEMIA plays minor role in diabetic neuropathy 175

JOINTS, changes in arthrogryposis multiplex congenita in guinea-pigs . . 221

KIDNEY changes in rats induced by feeding with diet containing N,N′-diacetylbenzidine 119
chronic glomerulonephritis in mice produced by ECHO-9 and Coxsackie B_1 viruses 53

LARYNX, method for demonstrating squamous metaplasia of. 149
LEIOMYOSARCOMA of inferior vena cava, with Budd-Chiari syndrome . . 283
LEISHMANIASIS in guinea-pigs due to *Leishmania enriettii* worsened by treatment with antilymphocyte serum; disease resembles diffuse cutaneous leishmaniasis in man 153
LIPAEMIA in female rats fed with N,N′-diacetylbenzidine. 119
LIPOMA, symptomless intradural spinal, in infancy 141
LIVER changes due to leiomyosarcoma of inferior vena cava 283
cysts, malignancy rare, usually to cystadenocarcinoma 185
LUNG, changes in acute oxygen poisoning in dogs similar in ventilated and unventilated lung 267
metastases from angiosarcoma of right atrium 73
solitary metastasis from leiomyosarcoma of inferior vena cava 283
LYMPHATICS, growing corneal, differences from growing capillaries 99
LYMPHOCYTES, stimulated, scanning electron-microscope observations . . 115

PAGE

LYMPHOPENIA in cortisone-induced wasting disease of rats 201

MACROPHAGES, large, present in large numbers in lamina propria of duodenum in mice with hereditary iron-absorption defect, may represent reaction to iron-deposition 45
and lymphocytes, stimulated with phytohaemagglutinin or antigens, intercellular bridges between 115
take up antigens and antigen-antibody complexes, cluster around reticular cells, transfer foreign contents to them 37
MEDIATORS in inflammation, early phase histamine and 5-hydroxytryptamine, then kinins, then prostaglandins . 15
METAPLASIA, squamous in adenocarcinomatous part of carcino-sarcoma of gall bladder 145
squamous of larynx, method for demonstrating 149
METASTASIS, solitary, in lung from leiomyosarcoma of inferior vena cava . 283
METHODS, PATHOLOGICAL, for demonstrating squamous metaplasia of larynx . 149
MICE, CBA, time-course of *Mycobacterium leprae* infection in 77
chronic glomerulonephritis produced in by ECHO-9 and Coxsackie B_1 viruses 53
liver slices incubated with sodium tetraphenyl boron show formation of intranuclear membrane - bounded vesicles and tubules in hepatocytes . 210
with hereditary defect in iron absorption; electron microscopy of duodenal mucosa in 45
MUCINASE of *Escherichia coli*, no difference in production between enteropathogenic strains and those from healthy pigs 93
MUCOPOLYSACCHARIDE layer of small-intestinal villi site of adherence of enteropathogenic *Escherichia coli* in pig 93
MUSCLE changes in arthrogryposis multiplex congenita in guinea-pigs, nature of 221
smooth, development in chick-embryo aorta 253

NERVE(S), *Mycobacterium leprae* present in from 15 mth after local inoculation; destruction of nerves from 20 mth . 77
plexus, submucosal in appendix, may have been stimulated to neuroma-like formation by migration outwards of argentaffin and argyrophil cells from crypts, and thus cause partial or complete luminal obliteration. . . . 206

PAGE

NEUROMA-like structures in appendices with luminal obliteration, argyrophil and argentaffin cells present in meshes of, may have stimulated growth of . 206
NEURONE degeneration slight and secondary in diabetic neuropathy . . 175
NEUROPATHY, diabetic, main lesion in peripheral nerves in segmental demyelination 175
NUCLEUS, formation of intranuclear membrane-bounded vesicles and tubes in hepatocytes of mouse or rat liver slices incubated with sodium tetraphenyl boron 210

ORGANELLES of ingrowing corneal capillaries and lymphatics after corneal injury 99
OSTEOSARCOMA in carcino-sarcoma of gall bladder 145
OXYGEN poisoning, acute, in dogs, may occur after exposure to 100 per cent. oxygen for 15–30 min. . . . 267

PERICARDIUM, involvement in angiosarcoma of right atrium, with haemopericardium 73
PEROXIDATION of red cells possibly of importance in acute oxygen poisoning in dogs 267
PHOSPHOTUNGSTIC ACID, alterations in affinity of chick-embryo aortic elastin for during development . . . 253
PIGS, adherence of enteropathogenic *Escherichia coli* to small-intestinal villi of . 93
PLEURISY, turpentine-induced, in rats, role of mast-cell degranulation in . . 275
POLYPEPTIDE secretion by occasional prostatic tumours possibly associated with presence of argentaffin cells . 247
PROCEEDINGS OF THE SOCIETY . . . Pi
PROMETHAZINE does not affect progressive mast-cell degranulation in early turpentine-induced pleurisy in rats, but does affect changes in volume of pleural exudate 275
PROSTATE, argentaffin cells present in small numbers in normal, and occasionally in tumours of 247
PROTEINURIA in rats fed with N,N′-diacetylbenzidine. 119

RABBITS kept at high altitudes, enlargement of carotid body in . . . 231
RAT(S), aflatoxin-induced cystadenocarcinomata of liver in. 185
chronic glomerulonephritis due to N,N′-diacetylbenzidine 119
RAT(S), cortisone-induced wasting disease of 201
degranulation of mast cells may provide sufficient local histamine to affect vascular permeability in turpentine-induced pleurisy 275
foetus, effect of 7-OHM-12-MBA treatment of mother on dependent on period of gestation; postnatal, no effect until 30th–50th day. . . 191
liver slices incubated with sodium tetraphenyl boron show formation of intranuclear membrane - bounded vesicles and tubules in hepatocytes . 210
lymphocytes and macrophages, scanning electron-microscope study . . 115
starved, hypoglycin produced severe hypoglycaemia and liver cell mitochondrial swelling in 167
REGRESSION possible of intradural spinal lipomas with age 141
RETICULAR CELL, poorly phagocytic, macrophages containing ingested antigen or antigen-antibody complexes and perhaps transfer them to reticular cell by cytoplasmic bridges. 37

SEX DIFFERENCE(S) in postnatal rats given 7-OHM-12-MBA, adrenal changes at 30th–50th day severer in females . 191
in rats fed with N,N′-diacetylbenzidine: in females severe proteinuria, then hypoproteinaemia, hyperlipaemia, generalised oedema, severe anaemia, then renal insufficiency with urea retention; in males renal lesions develop very slowly and though proteinuria as severe as in females, no nephrosis 119
SMOKERS, bronchial mucous gland volume in both sexes of greater than in non-smokers; greater also in emphysema, but no simple linear relation . . 59
SMOOTH-MUSCLE fibres, survival and multiplication of *Mycobacterium leprae* in after local inoculation . . . 77
SODIUM TETRAPHENYL BORON, incubation of mouse or rat liver slices in leads to formation of membrane-bounded intranuclear structures in hepatocytes 210
SPINAL CORD changes in arthrogryposis multiplex congenita in guinea-pigs . 221
STEROIDS, acid and neutral, present in higher concentration in faeces of English and Scottish persons than in those of Ugandans and Indians, and much more bacteriologically degraded 129
faecal, relation to cancer of large bowel . 129
neutral, faecal concentration falls after one week on low fat diet . . . 239

PAGE

^{3}H-THYMIDINE, decreased incorporation by cells of rats suffering from cortisone-induced wasting disease . . . 201
TIME-COURSE of growth of corneal lymphatics after corneal corrosion with silver nitrate 99
of *Mycobacterium leprae* infection in CBA mice 77
TUBULES, intranuclear membrane-bounded in hepatocytes of rat or mouse liver slices incubated with sodium tetraphenyl boron 210
TUMOURS, ANIMAL, EXPERIMENTAL, aflatoxin in rats causes foci of necrosis that later develop into cysts, which may show cystadenocarcinomatous change 185
TUMOURS, HUMAN, adenocarcinoma of prostate, 10 per cent. of cases show argentaffin cells as part of tumour . 247
angiosarcoma of right atrium . . 73
carcino-sarcoma of gall bladder . . 145
cystadenocarcinoma rare in congenital liver cysts 185
leiomyosarcoma of inferior vena cava producing Budd-Chiari syndrome . 283
of prostate, occasionally have features of both adenocarcinoma and carcinoid in same case 247
symptomless intradural spinal lipomas in infancy 141

PAGE

TURPENTINE pleurisy in rats, progressive degranulation of mast cells in may provide sufficient local histamine to increase vascular permeability . . 275

URETHRA, atresia in still-born foetus, with distension of bladder, pressure on iliac vessels and gangrene of leg . . 31
UROBILIN concentration in faeces of English and Scottish persons higher than in those of Ugandans and Indians . 129

VACUOLATION of glomic cells of carotid body in high-altitude animals possibly due to hypoxia 231
VENA CAVA, inferior, leiomyosarcoma of . 283
VENTRICLES, cardiac, weights related to that of carotid bodies . . . 1
VESICLES, membrane-bounded intranuclear, formed in hepatocytes of rat or mouse liver slices incubated with sodium tetraphenyl boron 210
single - membrane - bounded, in chick-embryo aorta, only structure apart from elastin affected by porcine pancreatic elastase 261
VIRUSES, ECHO-9 and Coxsackie B_1 cause chronic glomerulonephritis in mice . 53

INDEX OF AUTHORS

PAGE

AIKAT, B. K., and NIRODI, N. S., angiosarcoma of the heart . . . 73

ANDERSON, J. A., RYDER, R. C., and DUNNILL, M. S., a quantitative study of bronchial mucous gland volume, emphysema and smoking in a necropsy population 59

ARAUJO, VERA C., and MARIANO, M., relation between diaphragmatic mast-cell activity and exudate formation in acute experimental pleurisy . . 275

ARBUCKLE, J. B. R., enteropathogenic *Escherichia coli* on the intestinal mucopolysaccharide layer of pigs . . 93

ARIAS-STELLA, J., EDWARDS, C., HEATH, D., HARRIS, P., CASTILLO, YOLANDA, and KRÜGER, H., the carotid body in animals at high altitude . . . 231

ARIES, VIVIENNE C., and HILL, M. J., faecal steroid composition and its relationship to cancer of the large bowel 129

AUDRETSCH, JOHANNA J., and BROOKS, S. E. H., the protective effects of feeding on the hepatic ultrastructure of rats treated with hypoglycin . . 167

AZZOPARDI, J. G., and EVANS, D. J., argentaffin cells in prostatic carcinoma: differentiation from lipofuscin and melanin in prostatic epithelium . 247

BARSON, A. J., symptomless intradural spinal lipomas in infancy. . . 141

BÉDARD, Y. C., PINKERTON, P. H., and SIMON, G. T., ultrastructure of the duodenal mucosa of mice with a hereditary defect in iron absorption . 45

BELLER, J. J., COALSON, JACQUELINE J., and GREENFIELD, L. J., effects of 100 per cent. oxygen ventilation on pulmonary ultrastructure and mechanics 267

BIRD, C. C., and CRAWFORD, ALLISON M., effect of 7-hydroxymethyl-12-methylbenz(a)anthracene on the adrenal gland of the foetal and postnatal rat . 191

BROOKS, S. E. H., and AUDRETSCH, JOHANNA J., the protective effects of feeding on the hepatic ultrastructure of rats treated with hypoglycin . . . 167

BRYCESON, A. D. M., and TURK, J. L., the effect of prolonged treatment with antilymphocyte serum on the course of infections with BCG and *Leishmania enriettii* in the guinea-pig . . 153

PAGE

BUSH, VALERIE, KADAR, ANNA, and GARDNER, D. L., the relation between the fine structure of smooth-muscle cells and elastogenesis in the chick-embryo aorta 253

BUSH, VALERIE, KADAR, ANNA, and GARDNER, D. L., susceptibility of the chick-embryo aorta to elastase: an electron-microscope study . . 261

CARDELL, B. S., MCGILL, D. A. F., and WILLIAMS, R., leiomyosarcoma of inferior vena cava producing Budd-Chiari syndrome 283

CASTILLO, YOLANDA, EDWARDS, C., HEATH, D., HARRIS, P., KRÜGER, H., and ARIAS-STELLA, J., the carotid body in animals at high altitude . . . 231

CHEN, S. T., SUN, S. C., LAI, C. H., and SCHAEFFER, B. T., evolution of chronic glomerulonephritis induced in mice by ECHO-9 and Coxsackie B_1 viruses . 53

CHOPRA, J. S., and FANNIN, T., pathology of diabetic neuropathy . . . 175

CLARKE, J. A., SALSBURY, A. J., and WILLOUGHBY, D. A., some scanning electron-microscope observations on stimulated lymphocytes . . . 115

COALSON, JACQUELINE J., BELLER, J. J., and GREENFIELD, L. J., effects of 100 per cent. oxygen ventilation on pulmonary ultrastructure and mechanics 267

COLLIN, H. B., the fine structure of growing corneal lymphatic vessels . . 99

CRAWFORD, ALLISON M., and BIRD, C. C., effect of 7-hydroxymethyl-12-methylbenz(a)anthracene on the adrenal gland of the foetal and postnatal rat 191

CRUICKSHANK, A. H., and SPARSHOTT, SHEILA M., malignancy in natural and experimental hepatic cysts: experiments with aflatoxin in rats and the malignant transformation of cysts in human livers 185

DAVIDSON, A. EDNA, and STUART, A. E., the handling of antigen-antibody complexes and of antigen by human peritoneal cells *in vitro* . . . 37

DI ROSA, M., GIROUD, J. P., and WILLOUGHBY, D. A., studies of the mediators of the acute inflammatory response induced in rats in different sites by carrageenan and turpentine . 15

PAGE

DUNNILL, M. S., RYDER, R. C., and ANDERSON, J. A., a quantitative study of bronchial mucous gland volume, emphysema and smoking in a necropsy population 59

EDWARDS, C., HEATH, D., and HARRIS, P., the carotid body in emphysema and left ventricular hypertrophy 1
EDWARDS, C., HEATH, D., HARRIS, P., CASTILLO, YOLANDA, KRÜGER, H., and ARIAS-STELLA, J., the carotid body in animals at high altitude 231
EDWARDS, M. J., the experimental production of *arthrogryposis multiplex congenita* in guinea-pigs by maternal hyperthermia during gestation . . 221
EVANS, D. J., and AZZOPARDI, J. G., argentaffin cells in prostatic carcinoma: differentiation from lipofuscin and melanin in prostatic epithelium . 247

FANNIN, T., and CHOPRA, J. S., pathology of diabetic neuropathy 175
FORBES, MEHROO, and RÁLIŠ, Z., intrauterine atrophy and gangrene of the lower extremity of the foetus caused by megacystis due to urethral atresia 31

GARDNER, D. L., KADAR, ANNA, and BUSH, VALERIE, the relation between the fine structure of smooth-muscle cells and elastogenesis in the chick-embryo aorta 253
GARDNER, D. L., KADAR, ANNA, and BUSH, VALERIE, susceptibility of the chick-embryo aorta to elastase: an electron-microscope study . . 261
GIROUD, J. P., DI ROSA, M., and WILLOUGHBY, D. A., studies of the mediators of the acute inflammatory response induced in rats in different sites by carrageenan and turpentine . 15
GREENFIELD, L. J., COALSON, JACQUELINE J., and BELLER, J. J., effects of 100 per cent. oxygen ventilation on pulmonary ultrastructure and mechanics . . 267
GREGORY, IRENE, WATT, J., and STELL, P. M., a simple method for the post-mortem demonstration of squamous metaplasia in the larynx . . . 149
GUPTA, S. C., MEHROTRA, T. N., and NAITHANI, Y. P., carcino-sarcoma of the gall bladder 145

HARMAN, J. W., chronic glomerulonephritis and the nephrotic syndrome induced in rats with N,N′-diacetylbenzidine 119
HARRIS, P., EDWARDS, C., and HEATH, D., the carotid body in emphysema and left ventricular hypertrophy . . 1
HARRIS, P., EDWARDS, C., HEATH, D., CASTILLO, YOLANDA, KRÜGER, H., and ARIAS-STELLA, J., the carotid body in animals at high altitude . . 231
HEATH, D., EDWARDS, C., and HARRIS, P., the carotid body in emphysema and left ventricular hypertrophy . . 1
HEATH, D., EDWARDS, C., HARRIS, P., CASTILLO, YOLANDA, KRÜGER, H., and ARIAS-STELLA, J., the carotid body in animals at high altitude . . 231
HILL, M. J., the effect of some factors on the faecal concentration of acid steroids, neutral steroids and urobilins 239
HILL, M. J., and ARIES, VIVIENNE C., faecal steroid composition and its relationship to cancer of the large bowel 129
HOPKINSON, J. M., and NEWCOMBE, C. P., heart block due to epithelial heterotopia 218

IOACHIM, H. L., the cortisone-induced wasting disease of newborn rats: histopathological and autoradiographic studies 201

KADAR, ANNA, GARDNER, D. L., and BUSH, VALERIE, the relation between the fine structure of smooth-muscle cells and elastogenesis in the chick-embryo aorta 253
KADAR, ANNA, GARDNER, D. L., and BUSH, VALERIE, susceptibility of the chick-embryo aorta to elastase: an electron-microscope study . . 261
KAZZAZ, B. A., argentaffin and argyrophil cells in the appendix . . . 206
KRÜGER, H., EDWARDS, C., HEATH, D., HARRIS, P., CASTILLO, YOLANDA, and ARIAS-STELLA, J., the carotid body in animals at high altitude . . 231

LAI, C. H., SUN, S. C., CHEN, S. T., and SCHAEFFER, B. T., evolution of chronic glomerulonephritis induced in mice by ECHO-9 and Coxsackie B_1 viruses . 53
LYNCH, P. G., parietal lobe arteriovenous aneurysm and unilateral facial angioma 213

MCGILL, D. A. F., CARDELL, B. S., and WILLIAMS, R., leiomyosarcoma of inferior vena cava producing Budd-Chiari syndrome 283
MARIANO, M., and ARAUJO, VERA C., relation between diaphragmatic mast-cell activity and exudate formation in acute experimental pleurisy . . 275

PAGE

MEHROTRA, T. N., GUPTA, S. C., and NAITHANI, Y. P., carcino-sarcoma of the gall bladder 145

NAITHANI, Y. P., MEHROTRA, T. N., and GUPTA, S. C., carcino-sarcoma of the gall bladder 145

NEWCOMBE, C. P., and HOPKINSON, J. M., heart block due to epithelial heterotopia 218

NIRODI, N. S., and AIKAT, B. K., angiosarcoma of the heart 73

PALMER, ELISABETH, WEDDELL, A. G. M., and REES, R. J. W., the fate of *Mycobacterium leprae* in CBA mice . . 77

PARRY, E. W., membrane-bounded intranuclear structures in hepatocytes after exposure to sodium tetraphenyl boron 210

PINKERTON, P. H., BÉDARD, Y. C., and SIMON, G. T., ultrastructure of the duodenal mucosa of mice with a hereditary defect in iron absorption . 45

RAEBURN, C., a longitudinal cystic duplication of the gall bladder . . . 216

RÁLIŠ, Z., and FORBES, MEHROO, intrauterine atrophy and gangrene of the lower extremity of the foetus caused by megacystis due to urethral atresia . 31

REES, R. J. W., WEDDELL, A. G. M., and PALMER, ELISABETH, the fate of *Mycobacterium leprae* in CBA mice . 77

RYDER, R. C., DUNNILL, M. S., and ANDERSON, J. A., a quantitative study of bronchial mucous gland volume, emphysema and smoking in a necropsy population 59

SALSBURY, A. J., CLARKE, J. A., and WILLOUGHBY, D. A., some scanning electron-microscope observations on stimulated lymphocytes . . . 115

SCHAEFFER, B. T., SUN, S. C., LAI, C. H., and CHEN, S. T., evolution of chronic glomerulonephritis induced in mice by ECHO-9 and Coxsackie B_1 viruses 53

PAGE

SIMON, G. T., BÉDARD, Y. C., and PINKERTON, P. H., ultrastructure of the duodenal mucosa of mice with a hereditary defect in iron absorption . 45

SPARSHOTT, SHEILA M., and CRUICKSHANK, A. H., malignancy in natural and experimental hepatic cysts: experiments with aflatoxin in rats and the malignant transformation of cysts in human livers 185

STELL, P. M., WATT, J., and GREGORY, IRENE, a simple method for the post-mortem demonstration of squamous metaplasia in the larynx . . . 149

STUART, A. E., and DAVIDSON, A. EDNA, the handling of antigen-antibody complexes and of antigen by human peritoneal cells *in vitro* . . . 37

SUN, S. C., LAI, C. H., CHEN, S. T., and SCHAEFFER, B. T., evolution of chronic glomerulonephritis induced in mice by ECHO-9 and Coxsackie B_1 viruses . 53

TURK, J. L., and BRYCESON, A. D. M., the effect of prolonged treatment with antilymphocyte serum on the course of infections with BCG and *Leishmania enriettii* in the guinea-pig . . 153

WATT, J., GREGORY, IRENE, and STELL, P. M., a simple method for the post-mortem demonstration of squamous metaplasia in the larynx . . . 149

WEDDELL, A. G. M., PALMER, ELISABETH, and REES, R. J. W., the fate of *Mycobacterium leprae* in CBA mice . . 77

WILLIAMS, R., CARDELL, B. S., and MCGILL, D. A. F., leiomyosarcoma of inferior vena cava producing Budd-Chiari syndrome 283

WILLOUGHBY, D. A., CLARKE, J. A., and SALSBURY, A. J., some scanning electron-microscope observations on stimulated lymphocytes . . . 115

WILLOUGHBY, D. A., DI ROSA, M., and GIROUD, J. P., studies of the mediators of the acute inflammatory response induced in rats in different sites by carrageenan and turpentine . . 15